EAST Search History

EAST Search History (Prior Art)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	179	(((copier or copying or camera))) same (compartment or slot or inlet or insertion or hole) same ((memory or flash or stor\$5 or instruction or image or picture or process\$3) near3 (cartridge or stick or card) with (instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod\$3 or bar or glyph or (read\$3 adj2 code))) same ((ocr or recogn\$7 or scan\$5 or sens\$3) near3 (instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod\$3 or bar or glyph or (read\$3 adj2 code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 11:52
S2	108	S1 and ((combin\$5 or merg\$5 or manipulat\$5 or adjust\$5 or composit\$5 or synthes\$6 or effect) same ((scan\$5 or captur\$5 or read\$3) near4 (image or picture)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 11:52
S3	5089	(copier or copying or camera) same (compartment or slot or inlet or insertion or hole) same ((memory or flash or stor\$5 or instruction or image or picture or process\$3 or program\$6) near3 (cartridge or stick or card))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 13:37
S4	6913	(copier or copying or camera or (imag\$3 adj3 (apparatus or device or capturing or sensing))) same (compartment or slot or inlet or insertion or hole) same ((memory or flash or stor\$5 or instruction or image or picture or process\$3 or program\$6) near3 (cartridge or stick or card))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 13:38
S5	957	S4 and ((cartridge or stick or card) with (program\$5 or instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod\$3 or bar or glyph or (read\$3 adj2 code))) same ((ocr or recogn\$7 or scan\$5 or sens\$3 or read\$3) near3 (program\$5 or instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod\$3 or bar or glyph or (read\$3 adj2 code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 13:41
S6	36	S5 and ((cartridge or stick or card) with (program\$5 or instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod\$3 or bar or glyph or (read\$3 adj2 code))) same ((array or row or column or pattern or matrix or (two-dimension\$5 or 2-d or 1-d or one-dimension\$5 or dimension\$5)) with dot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 13:43
S7	6913	3/ 1 1/ 0 / 0, 1/11 1 0 0///	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 14:25

S8	957	S7 and ((cartridge or stick or card) with (program\$5 or instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod\$3 or bar or glyph or (read\$3 adj2 code))) same ((ocr or recogn\$7 or scan\$5 or sens\$3 or read\$3) near3 (program\$5 or instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod\$3 or bar or glyph or (read\$3 adj2 code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 14:25
S9	39	S8 and ((cartridge or stick or card) same (program\$5 or instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod\$3 or bar or glyph or (read\$3 adj2 code))) same ((array or row or column or pattern or matrix or (two-dimension\$5 or 2-d or 1-d or one-dimension\$5 or dimension\$5)) with dot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 14:25
S10	52	S8 and ((cartridge or stick or card) same (program\$5 or instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod\$3 or bar or glyph or (read\$3 adj2 code))) same2 ((array or row or column or pattern or matrix or (two-dimension\$5 or 2-d or 1-d or one-dimension\$5 or dimension\$5)) with dot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 14:27
S11	10	S8 and (image adj2 sensing).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 14:28
S12	2	S7 and (image adj2 sensing adj2 printing).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 14:28
S13	12542	(copier or copying or camera or (imag\$3 adj3 (apparatus or device or capturing or sensing))) same (compartment or slot or inlet or insertion or hole) same ((cartridge or stick or card))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 14:29
S14	2006	\$13 and ((cartridge or stick or card) with (program\$5 or instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod\$3 or bar or glyph or (read\$3 adj2 code))) same ((ocr or recogn\$7 or scan\$5 or sens\$3 or read\$3) near3 (program\$5 or instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod\$3 or bar or glyph or (read\$3 adj2 code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 14:32
S15	241	\$14 and ((cartridge or stick or card) same (program\$5 or instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod\$3 or bar or glyph or (read\$3 adj2 code))) same2 ((array or row or column or pattern or matrix or (two-dimension\$5 or 2-d or 1-d or one-dimension\$5 or dimension\$5)) with dot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 14:34

S16	177	\$15 and ((microcontrol\$5 or mpu or cpu or mcu or processor or processing) with (buffer\$5 or memory or register or stor\$5)) same (((scan\$5 or captur\$5 or read\$3 or sens\$3) near4 (pixel or image or picture)) with (buffer\$5 or memory or register or stor\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 14:37
S17	63	\$16 and ((microcontrol\$5 or mpu or cpu or mcu or processor or processing) with (buffer\$5 or memory or register or stor\$5)) same (((scan\$5 or captur\$5 or read\$3 or sens\$3) near4 (dot or program\$5 or instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod\$3 or bar or glyph or (read\$3 adj2 code))) with (buffer\$5 or memory or register or stor\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 14:39
S18	51	\$17 and ((scan\$5 or captur\$5 or read\$3 or sens\$3) near4 (dot or program\$5 or instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod\$3 or bar or glyph or (read\$3 adj2 code))) same ((execut\$5 or applying or apply or application or applied or correct\$5 or chang\$3 or modif\$8) near5 (pixel or image or picture))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 14:45
S19	2	S18 and "922274".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 15:18
S20	4	S18 and "922274"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 15:18
S21	16	S18 and "113053"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 15:32
S22	35	S18 not "113053"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 15:33
S23	7	"113053".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 15:36
S24	9	S18 and ((array or row or column or pattern or matrix or (two-dimension\$5 or 2-d or 1-d or one-dimension\$5 or dimension\$5)) with dot).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 15:51

S25	3	S18 and ((array or row or column or pattern or matrix or (two-dimension\$5 or 2-d or 1-d or one-dimension\$5 or dimension\$5)) with dot).clm. and vliw.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 15:52
S26	7	S18 and ((array or row or column or pattern or matrix or (two-dimension\$5 or 2-d or 1-d or one-dimension\$5 or dimension\$5)) with dot).clm. and print\$5.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 15:56
S27	3	S18 and ((array or row or column or pattern or matrix or (two-dimension\$5 or 2-d or 1-d or one-dimension\$5 or dimension\$5)) with dot).clm. and print\$5.clm. and (microcontroller or chip or vliw). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 16:13
S28	3	S18 and ((array or row or column or pattern or matrix or (two-dimension\$5 or 2-d or 1-d or one-dimension\$5 or dimension\$5)) with dot).clm. and print\$5.clm. and (microcontroller or chip or vliw or processor).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 16:15
S29	3	\$17 and ((array or row or column or pattern or matrix or (two-dimension\$5 or 2-d or 1-d or one-dimension\$5 or dimension\$5)) with dot).clm. and print\$5.clm. and (microcontroller or chip or vliw or processor).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 16:19
S30	4	S16 and ((array or row or column or pattern or matrix or (two-dimension\$5 or 2-d or 1-d or one-dimension\$5 or dimension\$5)) with dot).clm. and print\$5.clm. and (microcontroller or chip or vliw or processor).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 16:20
S31	0	S16 and ((array or row or column or pattern or matrix or (two-dimension\$5 or 2-d or 1-d or one-dimension\$5 or dimension\$5)) with dot).clm. and print\$5.clm. and (microcontroller or chip or vliw or processor).clm. and buffer\$5.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 16:22
S32	0	S15 and ((array or row or column or pattern or matrix or (two-dimension\$5 or 2-d or 1-d or one-dimension\$5 or dimension\$5)) with dot).clm. and print\$5.clm. and (microcontroller or chip or vliw or processor).clm. and buffer\$5.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 16:22
S33	0	S13 and ((array or row or column or pattern or matrix or (two-dimension\$5 or 2-d or 1-d or one-dimension\$5 or dimension\$5)) with dot).clm. and print\$5.clm. and (microcontroller or chip or vliw or processor).clm. and buffer\$5.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 16:22

S34	12560	(copier or copying or camera or (imag\$3 adj3 (apparatus or device or capturing or sensing))) same (compartment or slot or inlet or insertion or hole) same ((cartridge or stick or card))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 11:20
S35	2008	\$34 and ((cartridge or stick or card) with (program\$5 or instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod\$3 or bar or glyph or (read\$3 adj2 code))) same ((ocr or recogn\$7 or scan\$5 or sens\$3 or read\$3) near3 (program\$5 or instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod\$3 or bar or glyph or (read\$3 adj2 code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 11:20
S36	241	S35 and ((cartridge or stick or card) same (program\$5 or instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod\$3 or bar or glyph or (read\$3 adj2 code))) same2 ((array or row or column or pattern or matrix or (two-dimension\$5 or 2-d or 1-d or one-dimension\$5 or dimension\$5)) with dot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 11:20
S38	211	\$36 and ((microcontrol\$5 or mpu or cpu or mcu or processor or processing) with (fifo or buffer\$5 or memory or register or stor\$5)) same (((scan\$5 or captur\$5 or read\$3 or sens\$3) near4 (pixel or image or picture)) with (buffer\$5 or memory or register or stor\$5 or fifo))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 11:21
S40	187	S38 and ((microcontrol\$5 or mpu or cpu or mcu or processor or processing) with (fifo or buffer\$5 or memory or register or stor\$5)) same (((scan\$5 or captur\$5 or read\$3 or sens\$3) near4 dot) with (buffer\$5 or memory or register or stor\$5 or fifo))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 11:24
S41	7	S40 and ((scan\$5 or captur\$5 or read\$3 or sens\$3) near4 dot) same ((execut\$5 or applying or apply or application or applied or correct\$5 or chang\$3 or modif\$8 or enhanc\$5 or adjust\$5) near5 (pixel or image or picture))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 11:26
S42	2	"583858".ap. and S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 11:27
S43	7	S40 and ((scan\$5 or captur\$5 or read\$3 or sens\$3) near4 dot) same2 ((execut\$5 or applying or apply or application or applied or correct\$5 or chang\$3 or modif\$8 or enhanc\$5 or adjust\$5) near5 (pixel or image or picture))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 11:28
S44	187	\$40 and ((array or row or column or pattern or matrix or (two-dimension\$5 or 2-d or 1-d or one-dimension\$5 or dimension\$5)) with dot) same ((execut\$5 or applying or apply or application or applied or correct\$5 or chang\$3 or modif\$8 or enhanc\$5 or adjust\$5) near5 (pixel or image or picture))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 11:29

S45	234	S35 and ((cartridge or stick or card) same (program\$5 or instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod\$3 or bar or glyph or (read\$3 adj2 code))) same2 ((array or row or column or pattern or matrix or (two-dimension\$5 or 2-d or 1-d or one-dimension\$5 or dimension\$5)) near3 dot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 11:31
S46	211	S45 and ((microcontrol\$5 or mpu or cpu or mcu or processor or processing) with (fifo or buffer\$5 or memory or register or stor\$5)) same (((scan\$5 or captur\$5 or read\$3 or sens\$3) near4 (pixel or image or picture)) with (buffer\$5 or memory or register or stor\$5 or fifo))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 11:33
S47	187	S46 and ((microcontrol\$5 or mpu or cpu or mcu or processor or processing) with (fifo or buffer\$5 or memory or register or stor\$5)) same (((scan\$5 or captur\$5 or read\$3 or sens\$3) near4 dot) with (buffer\$5 or memory or register or stor\$5 or fifo))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 11:33
S54	39	\$47 and ((scan\$5 or captur\$5 or read\$3 or sens\$3 or program\$5 or script or instruction) same dot) same ((scan\$5 or captur\$5 or read\$3 or sens\$3) near4 (pixel or image or picture)) same ((effect\$5 or execut\$5 or applying or apply or application or applied or correct\$5 or chang\$3 or modif\$8 or enhanc\$5 or adjust\$5) near5 (pixel or image or picture))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 11:40
S55	1925	348/207.99,207.2.cols.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 11:49
S56	17171	358/1.1,1.3,1.18,1.8,501,505,514,530,401,448,474,483,498,296,909.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 11:49
S57	575	396/229,310.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 11:49
S58	11	S54 and (S55 or S56 or S57)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 11:50
S59	0	"5502577".pn. and dot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 16:22

S60	0	i"5502577".pn. and array	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 16:22
S61	1	"5502577".pn. and glyph	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 16:22
S62	0	"5502577".pn. and mark\$5 with pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 16:24
S63	0	"5502577".pn. and mark\$5 same pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 16:24
S64	1	"5502577".pn. and mark\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 16:24
S65	1	"5502577".pn. and mark\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 16:26
S66	1	"5502577".pn. and readable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 16:28
S67	0	"5502577".pn. and pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 16:29
S68	1734	(((digital or electronic\$5) adj3 camera) same (controller or processor or cpu or processing)) and (((fifo or buffer\$5) with (controller or processor or cpu or processing)) same ((fifo or buffer\$5) with (input\$5 or receiv\$5 or transfer\$5) with (pixel or image or picture))) and (((fifo or buffer\$5) with (controller or processor or cpu or processing)) same ((fifo or buffer\$5) with (input\$5 or receiv\$5 or transfer\$5) with ((command or non-image or non-picture or data or program\$5 or instruction or character or text\$5 or ocr))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 13:49

S69	437	(((digital or electronic\$5) adj3 camera) same (controller or processor or cpu or processing)) and (((fifo or buffer\$5) with (controller or processor or cpu or processing)) same ((fifo or buffer\$5) with (input\$5 or receiv\$5 or transfer\$5) with (pixel or image or picture))) and (((fifo or buffer\$5) with (controller or processor or cpu or processing)) same ((fifo or buffer\$5) with (input\$5 or receiv\$5 or transfer\$5) with ((command or non-image or non-picture or program\$5 or instruction or character or text\$5 or ocr))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 13:50
S70	48	S69 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 13:51
S71	158	(((digital or electronic\$5) adj3 camera) same (controller or processor or cpu or processing)) and (((fifo or buffer\$5) with (controller or processor or cpu or processing)) same ((fifo or buffer\$5) with (input\$5 or receiv\$5 or transfer\$5) with (pixel or image or picture))) and (((fifo or buffer\$5) with (controller or processor or cpu or processing)) same ((fifo or buffer\$5) with (input\$5 or receiv\$5 or transfer\$5) with ((command or control\$5 or non-image) adj3 data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 14:02
S72	21	S71 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 14:05
S73	112	(((digital or electronic\$5) adj3 camera) same (controller or processor or cpu or processing)) and (((fifo or buffer\$5) with (controller or processor or cpu or processing)) same ((fifo or buffer\$5) with (input\$5 or receiv\$5 or transfer\$5) with (pixel or image or picture))) and (((fifo or buffer\$5) with (controller or processor or cpu or processing)) same ((fifo or buffer\$5) with (input\$5 or receiv\$5 or transfer\$5) with ((command or control or non-image) adj3 data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 14:06
S74	17	S73 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 14:06
S75	86	(((digital or electronic\$5) adj3 camera) same (controller or processor or cpu or processing)) and (((fifo or buffer\$5) with (controller or processor or cpu or processing)) same ((fifo or buffer\$5) with (input\$5 or receiv\$5 or transfer\$5) with (pixel or image or picture))) same ((fifo or buffer\$5) with (input\$5 or receiv\$5 or transfer\$5) with ((command or control or non-image) adj3 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 14:10
S76	15	(((digital or electronic\$5) adj3 camera) same (controller or processor or cpu or processing)) and (((fifo or buffer\$5) with (controller or processor or cpu or processing)) same ((fifo or buffer\$5) with (input\$5 or receiv\$5 or transfer\$5) with (pixel or image or picture))) same ((fifo or buffer\$5) with (input\$5 or receiv\$5 or transfer\$5) with ((command or control or non-image) adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 14:37
S77	97	(((digital or electronic\$5) adj3 (capturing or camera)) same (controller or processor or cpu or processing)) and (((fifo or buffer\$5) with (controller or processor or cpu or processing)) same ((fifo or buffer\$5) with (input\$5 or receiv\$5 or transfer\$5) with (pixel or image or picture))) same ((fifo or buffer\$5) with (input\$5 or receiv\$5 or transfer\$5) with ((command or control or non-image or program\$3) adj (instruction or data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 14:41

S78	7	((mux or multiplex\$5) with (input\$5 or receiv\$5 or transfer\$5) with (pixel or image or picture))) same ((mux or multiplex\$5) with (input\$5 or receiv\$5 or transfer\$5) with ((command or control or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 14:48
S79	17	((mux or multiplex\$5) with (pixel or image or picture))) same ((mux or multiplex\$5) with ((command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 14:53
580	1	(((digital or electronic\$5) adj3 (capturing or camera)) same (controller or processor or cpu or processing)) and (((latch\$3) with (controller or processor or cpu or processing)) same ((latch\$5) with (pixel or image or picture))) same ((latch\$5) with ((command or control or non-image or program\$3) adj (instruction or data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 14:57
81	31	((mux or multiplex\$5) with (pixel or image or picture))) same ((mux or multiplex\$5) with ((command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 14:59
82	36	((mux or multiplex\$5) with (pixel or image or picture))) same ((mux or multiplex\$5) with ((command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 15:00
33	86	same ((mux or multiplex\$5 or fifo) with (pixel or image or picture))) same ((mux or multiplex\$5 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 15:01
84	897	(((digital or electronic\$5) adj3 (capturing or camera)) and (controller or processor or cpu or processing)) and (((memory or stor\$3) with (controller or processor or cpu or processing)) same ((memory or stor\$3) near3 (pixel or image or picture))) same ((memory or stor\$3) near3 ((command or control or non-image or program\$3) adj2 (instruction or data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 15:02
85	457	(((digital or electronic\$5) adj3 (capturing or camera)) with (controller or processor or cpu or processing)) and (((memory or stor\$3) with (controller or processor or cpu or processing)) same ((memory or stor\$3) near3 (pixel or image or picture))) same ((memory or stor\$3) near3 ((command or control or non-image or program\$3) adj2 (instruction or data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 15:03
886	3	((memory or stor\$3) near3 buffer\$5 near3 (pixel or image or picture))) same ((memory or stor\$3) near3 buffer\$3 near3 ((command or control or non-image or program\$3) adj2 (instruction or data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/09/09 15:04

S87	53	(((digital or electronic\$5) adj3 (capturing or camera)) with (controller or processor or cpu or processing)) and (((memory or stor\$3) with (controller or processor or cpu or processing)) same buffer\$3 same ((memory or stor\$3) near3 (pixel or image or picture))) same ((memory or stor\$3) near3 ((command or control or non-image or program\$3) adj2 (instruction or data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 15:04
S88	292	((first adj3 (ccd or sens\$5)) same (second adj3 (ccd or sens\$5)) same ((buffer\$5 or fifo) with (interfac\$3 or connect\$5 or receiv\$5 or communicat\$5) with (ccd or sens\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 15:15
S89	30	S88 and (((digital or electronic\$5) adj3 (capturing or camera)) same (controller or processor or cpu or processing))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 15:15
S90	53	S88 and ("348".clas. or "358".clas. or "396".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 15:17
S91	14	((first adj3 (ccd or sens\$5)) same (second adj3 (ccd or sens\$5)) same ((single or one) adj2 (buffer \$5 or fifo) with (interfac\$3 or connect\$5 or receiv\$5 or communicat\$5) with (ccd or sens\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 15:20
S92	295	((first adj3 (photosensitive or ccd or sens\$5)) same (second adj3 (photosensitive or ccd or sens \$5)) same ((buffer\$5 or fifo) with (interfac\$3 or connect\$5 or receiv\$5 or communicat\$5) with (photosensitive or ccd or sens\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 15:22
S93	54	S92 and ("348".clas. or "358".clas. or "396".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 15:23
S94	2	"20010015760".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 15:37
S95	2	"4949189".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 15:49

S96	0	"5502577".pn. and dot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 15:57
 697	1	"5502577".pn. and program\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 15:57
398	1	"5502577".pn. and software\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 15:58
399	2	"5502577".pn. and instruction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 15:58
100	0	"5502577".pn. and shad\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 16:01
101	1	"5502577".pn. and check\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 16:01
102	1	"5502577".pn. and mark\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 16:01
3103	0	"5502577".pn. and x	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 16:08
3104	0	"5502577".pn. and "x"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 16:08

S105	20	bar\$3code same rotat\$5 same "2" and "1994"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 16:12
S106	271	bar\$3code same process\$5 same "2" and "1994"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 16:13
S107	127	bar\$3code same process\$5 same "2" same "3" and "1994"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 16:13

EAST Search History (Interference)

<This search history is empty>

9/10/09 3:35:24 PM

C: Documents and Settings: bmenberu: My Documents: EAST: Workspaces: 10656791.090209.wsp